

16/820,593

	Type	L #	Hits	Search Text	DBs
15	IS&R	L15	3007	((347/20) or (347/44) or (347/47)).CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
16	IS&R	L16	1970	((347/49) or (347/56) or (347/61)).CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
17	IS&R	L17	1973	((347/63) or (347/64) or (347/65)).CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
18	IS&R	L18	1748	((347/22) or (347/29) or (347/67)).CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

10/820,593

	Time Stamp	Comments	Error Definition	Errors
15	2007/10/01 10:48			
16	2007/10/01 10:49			
17	2007/10/01 10:49			
18	2007/10/01 10:49			

10/820,593

	Type	L #	Hits	Search Text	DBs
19	BRS	L19	483287	(nozzle or orifice or cover) with (releas\$2 or detach\$4 or remov\$3 or interchang\$5 or chang\$5)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
20	BRS	L20	14151	19 and "347"/\$.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
21	BRS	L21	264127	19 and (plate or layer or film)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
22	BRS	L22	77251	19 with (plate or layer or film)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

10/820, 593

	Time Stamp	Comments	Error Definition	Errors
19	2007/10/01 10:52			
20	2007/10/01 10:53			
21	2007/10/01 10:55			
22	2007/10/01 10:55			

10/800,593

	Type	L #	Hits	Search Text	DBs
23	BRS	L23	5842	22 with (clamp or screw or coil or magnet or spring or stud)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB
24	BRS	L24	57	23 and "347"/\$.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB
25	BRS	L25	33	23 and "400"/\$.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB

10/8207593

	Time Stamp	Comments	Error Definition	Errors
23	2007/10/01 10:56			
24	2007/10/01 10:58			
25	2007/10/01 10:58			